

JR LABS

ENVIRONMENT & OCCUPATIONAL HEALTH SERVICES

Rated as 'No.1' Laboratory for Counting of Asbestos Fibre by Institute of Occupational Medicine, Edinburgh U.K., World Health Organization Collaborating Centre for Occupational Health.

To,

19.06.2021

The Asst. General Manager,
M/s. Ramco Industries Limited,
PLOT NO.12 A,
SIPCOT Industrial Growth Centre,
Gangaikondan,
Tirunelveli Dist.
Tamil Nadu - 627 352

Dear Sir,


Please find enclosed here with the results of Dust Samples of Work Place, Ambient Air and Stack **Analyzed** by J R LABS for Determination of Respirable Asbestos Fibre Concentration of **May 2021.**

Thanking You

Yours sincerely,

For J R LABS

Research Fibre Analyst



JR LABS

ENVIRONMENT & OCCUPATIONAL HEALTH SERVICES

Rated as 'No.1' Laboratory for Counting of Asbestos Fibre by Institute of Occupational Medicine, Edinburgh U.K., World Health Organization Collaborating Centre for Occupational Health

19.06.2021

REPORT ON RESPIRABLE ASBESTOS FIBRE DUST CONCENTRATION

Project : M/s. Ramco Industries Limited, Plot No.12 A, Sipcot Industrial Growth Centre, Gangaikondan, Tirunelveli (Dist.) Tamil Nadu -627352

Sampler used : Samples collected by Client using Envirotech APM 800
Personal Sampling

Analyzed under : Olympus make, Japan, B X 40 Phase Contrast Microscope

Flow rate : 1.0 L P M

Specifications : As per A I A - R T M 1 & IS : 11450 - Membrane Filter Method

Sampling Duration : 60 minutes each

PERMISSIBLE EXPOSURE LIMIT VALUE (PELV) AS PER MoEF & P C B = 0.1 fibre per cc of air.

Sl. No.	Date of sampling	Location	Condition	Dust concentration fibre /cc of air	Remarks
1	15.05.2021	<u>Static</u> Fibre Godown	The Static sample is collected from the Fibre Godown where palletized Fibre bags are stored. Torn bags are taped. Wet moping done.	< 0.1 (0.032)	---
2	17.05.2021	<u>Personal</u> Edge Runner Mill - B O D	The worker carrying the Sampler was feeding fibre bags to the B O D through Roller Conveyor. Dust collector in operation.	< 0.1 (0.056)	---
3	18.05.2021	<u>Static</u> E R Mill - Wet Opener	B O D, E R Mill and Dust Collector in operation.	< 0.1 (0.060)	---

For J R LABS

Research Fibre Analyst

B-305 & 309, Vasudha Apartments,
Quthubullapur Road, New Jeedimetla,
HYDERABAD - 500 067,
TELANGANA, INDIA.



AN ISO 9001 : 2008 CERTIFIED LAB



☎ : 040-42300546, 27230750, 27230966

Fax : 040-23775321

E-mail : jr labs@gmail.com

jr labs@rediffmail.com

jr.labs@yahoo.in



JR LABS

ENVIRONMENT & OCCUPATIONAL HEALTH SERVICES

Rated as 'No.1' Laboratory for Counting of Asbestos Fibre by Institute of Occupational Medicine, Edinburgh U.K., World Health Organization Collaborating Centre for Occupational Health.

19.06.2021

REPORT ON RESPIRABLE ASBESTOS FIBRE DUST CONCENTRATION

Project : M/s. Ramco Industries Limited, Plot No.12 A, Sipcot Industrial Growth Centre, Gangaikondan, Tirunelveli (Dist.) Tamil Nadu - 627 352

Sampler used : Samples collected by Client using Envirotech APM 800 Personal Sampling Analyzed under : Olympus make, Japan, B X 40 Phase Contrast Microscope

Flow rate : 1.0 LPM Specifications : As per A I A - R T M 1 & IS : 11450 - Membrane Filter Method

Sampling Duration: 60 minutes each

PERMISSIBLE EXPOSURE LIMIT VALUE (PELV) AS PER MoEF & P C B = 0.1 fibre per cc of air.

Sl. No.	Date of sampling	Location	Condition	Dust concentration fibre /cc of air	Remarks
4	19.05.2021	<u>Personal</u> Cutter Off.- S F Drum	The worker carrying the Sampler was cutting the Sheets at green stage on main Machine along with another worker.	< 0.1 (0.092)	---
5	21.05.2021	<u>Personal</u> M G Section - Moulding	The worker carrying the Sampler was making R1 & R2 moulded articles along with other workers. Semi wet process.	< 0.1 (0.064)	---
6	20.05.2021	<u>Personal</u> Stripping	The worker carrying the Sampler was engaged in operation of Stripping Machine. The sample is collected during the production of F C C Sheets.	< 0.1 (0.036)	---

For JR LABS

Research Fibre Analyst

B-305 & 309, Vasudha Apartments,
Quthubullapur Road, New Jeedimetla,
HYDERABAD - 500 067,
TELANGANA, INDIA.



AN ISO 9001 : 2008 CERTIFIED LAB


☎ : 040-42300546, 27230750, 27230966

Fax : 040-23775321

E-mail : jrlabs@gmail.com

jrlabs@rediffmail.com

jrlabs@yahoo.in



JR LABS

ENVIRONMENT & OCCUPATIONAL HEALTH SERVICES

Rated as 'No.1' Laboratory for Counting of Asbestos Fibre by Institute of Occupational Medicine, Edinburgh U.K., World Health Organization Collaborating Centre for Occupational Health.

19.06.2021

REPORT ON RESPIRABLE ASBESTOS FIBRE DUST CONCENTRATION

Project : M/s. Ramco Industries Limited, Plot No.12 A, Sipcot Industrial Growth Centre, Gangaikondan, Tirunelveli (Dist.) Tamil Nadu - 627 352

Sampler used : Samples collected by Client Analyzed under : Olympus make, Japan, B X 40 Phase Contrast Microscope
using Envirotech APM 800
Personal Sampling

Flow rate : 1.0 L P M

Specifications : As per A I A - R T M 1 & IS : 11450 - Membra Filter Method

Sampling Duration : 60 minutes each

PERMISSIBLE EXPOSURE LIMIT VALUE (PELV) AS PER MoEF & P C B = 0.1 fibre per cc of air.

Sl. No.	Date of sampling	Location	Condition	Dust concentration fibre /cc of air	Remarks
7	22.05.2021	<u>Personal</u> Pulverizer	The worker carrying the Sampler was feeding broken F C C Sheets through the Chute of Pulverizer.	< 0.1 (0.096)	---
8	25.05.2021	<u>Presonal</u> Ball Mill	The worker carrying the Sampler was engaged in operation of Ball Mill including feeding of broken F C C Sheets. Wet process.	< 0.1 (0.076)	---
9	26.05.2021	<u>Personal</u> Fork Lift Operator	The Fork Lift Operator carrying the Sampler was engaged in different work activities like; shifting of Sheets from Destacking Area to Stock Yard during the period of sampling.	< 0.1 (0.040)	---

For JR LABS

Research Fibre Analyst

B-305 & 309, Vasudha Apartments,
Guthubullapur Road, New Jeedimetla,
HYDERABAD - 500 067,
TELANGANA, INDIA.



☎ : 040-42300546, 27230750, 27230966
Fax : 040-23775321
E-mail : jrlabs@gmail.com
jrlabs@rediffmail.com



JR LABS

ENVIRONMENT & OCCUPATIONAL HEALTH SERVICES

Rated as 'No.1' Laboratory for Counting of Asbestos Fibre by Institute of Occupational Medicine, Edinburgh U.K., World Health Organization Collaborating Centre for Occupational Health.

19.06.2021

REPORT ON RESPIRABLE ASBESTOS FIBRE DUST CONCENTRATION

Project : M/s. Ramco Industries Limited, Plot No.12 A, Sipcot Industrial Growth Centre, Gangaikondan, Tirunelveli (Dist.) Tamil Nadu - 627 352

Sampler used : Samples collected by Client using Envirotech APM 800 **Analyzed under** : Olympus make, Japan, B X 40 Phase Contrast Microscope

Flow rate : 1.0 L P M **Specifications** : As per A I A - R T M I & IS : 11450 - Membrane Filter Method

Sampling Duration : 60 minutes each

PERMISSIBLE EXPOSURE LIMIT VALUE (PELV) AS PER MoEF & P C B = 0.1 fibre per cc of air.

Sl. No.	Date of sampling	Location	Condition	Dust concentration fibre /cc of air	Remarks
10	24.05.2021	<u>Personal</u> Salvaging Section	The worker carrying the Sampler was reclaiming the Sheets. F C C rejected Sheets were getting reclaimed. Wet process.	< 0.1 (0.080)	---
11	27.05.2021	<u>Personal</u> Q C Lab Assistant	The Q C Lab Asst. carrying the Sampler was engaged in different Lab Activities during the period of sampling.	< 0.1 (0.052)	---

For J R LABS

Research Fibre Analyst



JR LABS

ENVIRONMENT & OCCUPATIONAL HEALTH SERVICES

Rated as 'No.1' Laboratory for Counting of Asbestos Fibre by Institute of Occupational Medicine, Edinburgh U.K., World Health Organization Collaborating Centre for Occupational Health.

19.06.2021

REPORT ON RESPIRABLE ASBESTOS FIBRE DUST CONCENTRATION

Project : M/s. Ramco Industries Limited, Plot No.12 A, Sipcot Industrial Growth Centre, Gangaikondan, Tirunelveli (Dist.) Tamil Nadu - 627 352

Sampler used : Samples collected by Client
using Envirotech APM 800
Personal Sampling

Analyzed under : Olympus make, Japan,
B X 40 Phase Contrast
Microscope

Flow rate : 1.0 L P M

Specifications : As per A I A - R T M 1
& IS : 11450 - Membrane
Filter Method

Sampling Duration : 60 minutes each


PERMISSIBLE EXPOSURE LIMIT VALUE (PELV) AS PER MoEF & P C B = 0.1 fibre per cc of air.

Sl. No.	Date of sampling	Location	Condition	Dust concentration fibre /cc of air	Remarks
12	28.05.2021	<u>Static</u> Ambient Air: Near Main Gate - Security Office	The Static sample is collected from near the Main Gate - Security Office. The Plant was in production of F C C Sheets.	< 0.1 (0.068)	---
13	29.05.2021	<u>Static</u> Ambient Air: Near Stock Yard - Sheet Loading Area	The Static sample is collected from the Stock Yard - Sheet Loading Area. Sample is collected during loading of different sizes of F C C Sheets into the Truck.	< 0.1 (0.072)	---

For JR LABS

Research Fibre Analyst





JR LABS

ENVIRONMENT & OCCUPATIONAL HEALTH SERVICES

Rated as 'No.1' Laboratory for Counting of Asbestos Fibre by Institute of Occupational Medicine, Edinburgh U.K., World Health Organization Collaborating Centre for Occupational Health.

T C : May 2021 : Stack - E R M : A F C

19.06.2021

REPORT ON RESPIRABLE ASBESTOS FIBRE DUST CONCENTRATION FIBRE D E STACK

Project : M/s. Ramco Industries Limited, Plot No.12 A, Sipcot Industrial Growth Centre, Gangaikondan, Tirunelveli (Dist.) Tamil Nadu -627352

Sampler used : Envirotech VSS1 **Analyzed under** : Olympus make, Japan, B X 40 Phase Contrast Microscope

Flow rate : 10 L P M **Specifications** : As per A I A - R T M 1 IS:11450 & ISO:10397 Membrane Filter Method


Sampling Duration : 10 minutes

PERMISSIBLE EXPOSURE LIMIT VALUE (PELV)
AS PER MoEF & P C B = 0.2 fibre per cc of air.

Date of sampling	Location	Condition	Dust concentration fibre /cc of air	Remarks
17.05.2021	Fibre D E Stack connected to B O D - Edge Runner Mill		0.079	

For J R LABS

Research Fibre Analyst



JR LABS

ENVIRONMENT & OCCUPATIONAL HEALTH SERVICES

Rated as 'No.1' Laboratory for Counting of Asbestos Fibre by Institute of Occupational Medicine, Edinburgh U.K., World Health Organization Collaborating Centre for Occupational Health.

T C : May 2021 : Stack – Pulverizer : A F C

19.06.2021

REPORT ON RESPIRABLE ASBESTOS FIBRE DUST CONCENTRATION FIBRE D E STACK

Project : M/s. Ramco Industries Limited, Plot No.12 A, Sipcot Industrial Growth Centre, Gangaikondan, Tirunelveli (Dist.) Tamil Nadu -627352

Sampler used : Envirotech VSS1 **Analyzed under** : Olympus make, Japan, B X 40 Phase Contrast Microscope

Flow rate : 10 L P M **Specifications** : As per A I A - R T M 1 IS:11450 & ISO:10397 Membrane Filter Method

Sampling Duration : 10 minutes

PERMISSIBLE EXPOSURE LIMIT VALUE (PELV)
AS PER MoEF & P C B = 0.2 fibre per cc of air.

Date of sampling	Location	Condition	Dust concentration fibre /cc of air	Remarks
17.05.2021	Fibre D E Stack connected to Pulverizer	---	0.091	---

For J R LABS

Research Fibre Analyst

B-305 & 309, Vasudha Apartments,
Quthubullapur Road, New Jeedimetla,
HYDERABAD - 500 067,
TELANGANA, INDIA.



AN ISO 9001 : 2008 CERTIFIED LAB

☎ : 040-42300546, 27230750, 27230966

Fax : 040-23775321

E-mail : jrlabs@gmail.com

jrlabs@rediffmail.com

jr.labs@yahoo.in